



  
**METALSUB<sup>®</sup>**

2022



# Standard hose

Our product range includes tubes in thermo-rubber material EN250 certificate for regulators and BCD, in black and yellow color.



REGULATOR



OCTOPUS



BCD



HOOKAH

We have permanent stock of standard sizes and make to order other sizes that our customers require.

# DIVEFLEX hose

Our DIVEFLEX hose is the latest generation of braided tube for regulators and BCD. Manufactured under standard EN250 european normative.

**EN250  
CERTIFIED**



This type of hose is extremely flexible, it is designed for use in technical diving, although more and more users who ride it for their great comfort during the diving.



black



yellow



red



blue



green



pink



carbone



orange

## HOOKAH / NARGUILÉ

We supply complete hoses ready to use, in the length you need. Indispensable as safety and maintenance equipment on any boat and for shallow work.



# Technical O-rings

Wide range of specific o-rings for high pressure and oxygen mixtures.



## O-RINGS BOXES



**AIR/NITROX TEK BOX 145 pcs**



## KIT AIR/NITROX

## SILICONE GREASE

Keep rubber, plastic and metal thoroughly lubricated with this 100% pure food-grade (but don't eat it) silicone grease

**-100% pure, food-grade silicone grease**

- Lubricates and conditions rubber products,

## O-rings, regulator and valve components and more



## SILICONE GREASE

## THUNDER REGULATOR

### Piston traditional regulator

## Thunder octopus



**ACC-MOU-0020**

## CONFORT SILICONE MOUTHPIECE

# Instruments



PACIFIC



PACIFIC II



PACIFIC III



CAPSULES:



PRESSURE GAUGE



DEPTH



COMPAS



HP SWIVEL



TECH GAUGE tempered glass



PONY PG



DEPTH



SURFACE INT/ DIN



M26 NITROX

## DIGITAL GAUGES



AIR



OXYGEN



Gauge 5 scale



SURFACE INT & DIN

## EQUALIZERS



DIN200/300 & INT version, with and without manometer.



AVAILABLE for NITROX M26

# Adapters and Fittings



**RCR-YOK-0001**



**RCR-DIN-0010**



**VLV-DIN-0001**



**VLV-DIN-0002**



**RCR-SWL-0001**



**RCR-SWL-0090**



**RCR-SWL-0360**



**RCR-FST-3812**  
**3/8" to 1/2" ADAPTER**



**LP & HP PLUGS**



**RCR-REG-0001**  
**REGULATOR FITTINGS KIT**



**REG-CON-0004**  
**INT CONVERTER**



**REG-CON-0001**  
**DIN200CONVERTER**



**REG-CON-0002**  
**DIN300 CONVERTER**



**REG-CON-0003**  
**M26 CONVERTER**



**NEVOC W30x2 to G1/4"**  
**FOR 300 BAR OXYGEN**



**NEVOC to DIN300**



**DIN 477-1 n°9**  
**GERMAN O2 CONNECTOR**



**DIN 300 to G1/4"**



**RCR-OXY-0200**



**RCR-DIN-0300**



**RCR-BAU-006**  
**MALE BAUER-FEMALE G1/4"**



**RCR-BAU-0001**  
**MALE BAUER-MALE G1/4"**

# Compressor

## HOSES

We have several load filling hoses models compatible with most compressors on the market: Bauer, LW, Coltri, Nardi.. Possibility of stainless steel and carbon steel fittings. We manufacture hoses with the length you need.



## FILLING TERMINALS

We can assemble the hose terminal you need, we have all kinds of connectors, you decide the length and terminal you want.



DIN direct



DIN purge



DIN purge & gauge



INT direct



INT purge



INT purge & gauge

## FILLING VALVES

Filling valves with DIN and INT, we supply them with the threads you need. Reliable and robust, although very light and practical. For Bauer, Nardi, Coltri, LW..



## MANIFOLD BLOCKS



## COMPRESSOR GAUGES

All kinds of glycerin pressure gauges for compressor, external or panel. We facilitate your installation to the maximum, we are professionals.



## PERSONAL FILTERS



# Oxygen/Nitrox zone

## OXYGEN ANALIZER

Analyzed oxygen in portable kit with waterproof case, only 1 kilogram of weight.  
Very easy to use, its box is panelable to install on your boat or workshop. 0-100% O<sub>2</sub> analyzer.



## OXYGEN EQUALIZERS

Equalizer with oxygen flow controller designed for the filling of cylinders. Ideal for nitrox mixtures in professional and sport diving.

Stainless steel hose, available in 1 and 2 meters.

Available with analogic and digital pressure gauge, Connector: DIN300, Nevoc W30x2 and DIN477 n9 3/4"



## OXYGEN LP HOSES

100% oxygen LP hose CE and CSA approved.

All hose assemblies are tested and cleaned before shipment.

Hoses with regulator thread, 3/8" UNF male and 9/16" UNF swivel female.

All measures availables.



## OXYGEN GREASE

Metalsub Grease can be used as a vacuum grease in mid-range vacuum applications where exposure to pure oxygen, harsh chemicals, or corrosive gases is probable. It is a superior lubricant for wet or dry conditions in a wide range of applications, including o-rings, gaskets, bearings, stop cocks, etc. It is non-flammable, non-migrating, non-toxic, odorless and waterproof as well as anti-corrosive, anti-galling, anti-seize, dielectric and lubricating.



# Valves



**SINGLE M25 & 3/4"**



**VALVE V**



**IN LINE M25 & 3/4"**



**NITROX M26**



**MODULAR M25 & 3/4"**



**2nd OUTLET**



**CCR IN LINE**



**SEAT MODELS**



**MANIFOLD VALVES**



**KIT A**



**KIT B**



**KIT C**



**FILTER**



**KIT NITROX**



**STEM A-B**



**STEM C**



**KNOB KIT**

## ACCESORIES



## SCUBA TANKS



Metalsub is Faber cylinders official distributor of , the most prestigious lighter steel cylinders on the market.  
Availability or programming in bottles of capacities 5, 10, 12, 15 and 18 liters at working pressure 232 BAR.

**Faber**  
CYLINDERS

# Knives



**MICROSUB** blade 6 cm



**MAKO** blade 11 cm



**SQUALO** blade 14 cm



**STILETTO** blade 9 cm



**SPORT** blade 15 cm



**DAGA** blade 11 cm

# Lead Coated Weight

These Metalsub lead divers weight blocks are ideal for snorkeling and scuba diving. Individually plastic coated, for corrosion protection and available in several colours, including 'high vis' scuba yellow, for underwater identification and where needed, superior under water visibility. The weight block corners are smooth and rounded for additional comfort, and feature twin 'weight belt' webbing slots, for use with standard scuba diving webbing. Available in 1kg, 2kg and 3 Kg..



2 Kg



2 Kg



2 Kg



1 Kg



1 Kg



1 Kg


# Dive Lights

## MERO 340 lumens LED

Made of ABS resistant to 40 mts depth.

Size and net weight 16.5x4 cm; 100g LED type 3W Powerful LED. Duration on: 8 hours.

Cool white light Lumens 340 lumens Lamp life 100.000 hours Battery type 4 dry AA batteries (included)



## SPORT 500 lumens LED

Made of ABS and aluminum alloy waterproof, underwater more than 250 meters LED

source: XML T6 LED cold white light. Rechargeable 18.650 battery and 230V charger

included. Lighting time 3-6 hours. ze: 12x4x4 cm; unit weight: 87g



## FOCUS 500 lumens LED

Submersible light in black aluminum of 500 lumens. Lamp type XM-L2 T6 LED with cold white light. Maximum light (lm) 500 lumens. The lighting distance is 150m. Lamp life 100.000 hours. Maximum power 10W with its 18.650 lithium ion battery. Duration 3-6 hours. It has three lighting modes: 500 lumens white light, low-power intermediate light, and intermittent signaling flash. Supplied in a padded ABS case, 230V charger and rechargeable lithium ion battery.

Net Weight: 230g



# Dive TOOLS



**INS-MID-0001**  
Medium pressure gauge



**ACC-KNB-0001**  
Knob tool



**ACC-HOS-0001**  
BCD valve tool



**RCR BCD- 0014**  
BCD-1/4" male fitting



**ACC-DVT-0001**  
Dive multi tool



**ACC-TOL-0001**  
Hand bar First stage



**ACC-TOL-0003/4**  
Popper adjustment tool



**ACC- TOL-0020**  
Service tool master kit



**ACC-TOL-0010**  
2nd stage adjustment tool



**ACC-TOL-0002**  
Spanner Wrench

# SMACO



**S300 Tank set**  
0,5 liter



**S500 Tank set**  
0,7 liter



**ENGINEERING BITE**  
Silicone bite mouth  
Safe fit  
Ergonomic design



**AIR COMPRESSOR 230V**



**HAND PUMP SETS**



**ACCESSORIES**

## CASES & BAGS

### AMPHIBIAN BAG

Transport Dry bag with 108 liters capacity.  
Made of durable, ultrasonically welded PVC.  
Nautical zipper and internal drain valve.  
Measures 95 x 30 x 35 cm.



### MAMMOUTH BOX

Watertight bag for the transport of your diving equipment, very resistant, with handle and wheels. Capacity 80 liters.  
Its measurements are 78 x 39.5 x 35 cm.



# Safety Mark Buoys

We have a wide range of 120cm and 180cm decompression buoys in classic and reflective versions. Nylon, aluminum and stainless steel rope reels.



## CARABINERS

availables in SS 316 inox. and Brass.



**model A**  
Double end Snap Hook



**model B**  
Oval Swivel Snap Hook



**model C**  
Swivel Snap Hook



**model D**  
Carabiner Hook



**model F**  
Quick Link



**model G**  
Egg Shape Spring Hook



**model H**  
Trigger Swivel Snap Hook



**ALUMINUM**  
Aluminum Carabiner Hook

## LIFTING BALLONS



We have a wide range of lifting balloons from 30 to 2500 kg, reinforced electrowelded balloons with resistant safety rings and overpressure and emptying valves.





## COMPRESSORS

Thanks to its experience in the diving sector and its knowledge as a manufacturer of high pressure equipment, Metalsub Dive Equipment is a distributor of the prestigious compressors COLTRI.



## CONSUMABLES & ACCESORIES





METALSUB DIVE EQUIPMENT SL  
Mitger, 35, nau 5  
08798 Sant Cugat Sesgarrigues . SPAIN  
Tel. +34 93 897 01 26  
[metalsub@metalsub.com](mailto:metalsub@metalsub.com)  
[www.metalsub.com](http://www.metalsub.com)

